EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20040078066"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:32
L2	10	(decrypt$3 with key and encrypt$3 with content and supply$3 with number).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:44
L3	14	(decrypt$3 with key and encrypt$3 with content and key with delivery with apparatus).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:45
L4	11	(supply with request and decrypt$3 with key and encrypt$3 with content).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:46
L7	1	(supply with request and decrypt$3 with key and encrypt$3 with content and determin$3 with terminal).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:47
L8	3	(supply with request and decrypt$3 with key and encrypt$3 with content and supply$3 with number).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:48
L9	30	(determin$3 and terminal with apparatus and encrypt$3 with content and decrypt$3 with key).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:49

L11	8	(determin$3 and terminal with apparatus and encrypt$3 with content and decrypt$3 with key and content with usage). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:50
L14	20	Yuusaku near Ohta	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:57
L15	110	Hiroki near Yamauchi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:57
L16	238	Masaya near Miyazaki	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:57
L17	311	Natsume near Matsuzaki	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:58
L18	44	Toshihisa near Abe	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:58
L20	9	L14 and encrypt$3 with content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:59
L21	14	L15 and encrypt$3 with content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:59

L22	31	L16 and encrypt$3 with content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:59
L23	63	L17 and encrypt$3 with content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:59
L24	10	L18 and encrypt$3 with content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:59
L25	2	L20 and (decrypt$3 near key)with supply$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:00
L26	2	L21 and (decrypt$3 near key)with supply$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:01
L27	2	L22 and (decrypt$3 near key)with supply$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:01
L28	4	L23 and (decrypt$3 near key)with supply$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:01
L29	2	L24 and (decrypt$3 near key)with supply$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:01

L30	40	"380"/$.ccls.and encrypt $3 with content and decrypt$3 with key and content with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:03
L31	79	"713"/$.ccls.and encrypt $3 with content and decrypt$3 with key and content with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:03
L32	56	"726"/$.ccls.and encrypt $3 with content and decrypt$3 with key and content with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:04
L33	27	"707"/$.ccls.and encrypt $3 with content and decrypt$3 with key and content with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:04
L34	117	"705"/$.ccls.and encrypt $3 with content and decrypt$3 with key and content with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:04
L35	18	L34 and key with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:05
L36	1	L33 and key with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:05
L37	8	L32 and key with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:05

L38	12	L31 and key with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:05
L39	5	L30 and key with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:05
L40	133	380/232.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:08
L41	1238	380/201.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:09
L42	1644	380/277.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:09
L43	5	L40 and encrypt$3 with content and decrypt$3 with key and content with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:10
L44	5	L41 and encrypt$3 with content and decrypt$3 with key and content with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:10
L45	8	L42 and encrypt$3 with content and decrypt$3 with key and content with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:10

L46	117	"705"/$.ccls.and encrypt $3 with content and decrypt$3 with key and content with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:11
L47	27	"707"/$.ccls.and encrypt $3 with content and decrypt$3 with key and content with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:11
L48	41	L46 and key with usage with time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:11
L49	1	L47 and key with usage with time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:12
L50	11	L48 and @pd<"20020812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:13
L51	11	L48 and @pd<"20020812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:13
S1	46	supply$3 near decrypt$3 near key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 19:25
S2	1	S1 and key with usage with period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 19:26

S3	379	(prevent$3 or restrict$3 or allow$3)near content same decrypt$3 with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 19:28
S4	379	((prevent$3 or restrict$3 or allow$3)near content) same decrypt$3 with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 19:29
S5	2	S4 and supply$3 with decrypt with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 19:29
S6	14	("5396417" | "5629980" | "5634012" | "5664111"). PN. OR ("5884280"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/24 19:30
S7	125	S4 and "380"/$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/24 19:32
S8	31	S7 and @pd<"20030704"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/24 19:33
S9	2	(manag$3 or control)near (decrypt$3 adj key)same (suppl$4 with number or number with times)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/24 19:43
S10	34	(supply or feed or provide) near ((decrypt$3 or enciper or decode or unscrumble)adj key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 23:41
S11	26	(supply or feed or provide) adj ((decrypt$3 or enciper or decode or unscrumble) adj key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 23:42
S12	1	S11 and key with usage near (period or time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 23:43

S13	2	"20040228487"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 11:17
S14	39477	(reques$3 or receiv$3) near content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 11:47
S15	8	(reques$3 or receiv$3) near content same ((supply$3 or provid$3 or feed)near ((decrypt$3 or enciper or unscumble$3 decod$3)adj key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 11:49
S16	0	(allow$3 and restrict$3) near content$3 same (supply or feed or provid $3)with decrypt$3 with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 11:55
S17	4	(allow$3 and restrict$3) with content$3 same (supply or feed or provid $3)with decrypt$3 with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 11:55
S18	0	(stor$3 or record$3)near (decrypt$3 adj key and usage with period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 12:49
S19	1	(stor$3 or record$3)near ((decrypt$3 adj key) and (usage adj period))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 12:49
S20	9	(stor$3 or record$3)same ((decrypt$3 adj key) and (usage adj period))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 12:49

11/19/2008 3:20:49 PM
C:\ Documents and Settings\ fyalew\ My Documents\ EAST\ Workspaces\ 10649623o.wsp